


TECHNICAL DATA SHEET : LED MODULE

Project : STANDARD
Model No : HRI210X210-15S8PL2835

LED MODULE (ROUND)

LED Module 210X210mm Square

15Series,8Parallel



Input Characteristics(Single Strip)

Mechanical Details

Input Characteristics(Single Strip)			Mechanical Details	
1	Typical Voltage (Un)	45Vdc	Panel Dimensions	
2	Typical Current (A)	0.8A	Length	210mm
3	Wattage (W)	36W	Width	210mm
4	Nos Of LEDs	120 Nos	Center to Center (CTC)	105mm
5	LEDs Aray Combination	15Series,8Parallel	Thickness	1.60mm
6	Viewing Angle	120°		
7	LED Color Tempreture	6500K	PCB Material	FR4 PCB
8	Luminous flux	3960 LM	Polarity Connection	On PCB
9	Operating Tempreture	-15 to 50°C	Input Connections	Wires
10	Maintenace of Lumen output -L70	50,000 hours at 25°C	Connections	
11	LED Make	Bridgelux	Input	Positive (+ve)
12	LED Package	2835 (0.5W)	Output	Negative (-ve)

Environmental Operating Details

Features

1	Minimum Ambient	-5°C	<ol style="list-style-type: none"> 1. High System Efficiency - 110lm/W. 2. High Color Redering and good light uniform ity. 3. Energy Saving. 4. Improve working enviroment. 5. Long life time: 50,000 hours minimum. 6. * Lumen Flux depend on Reflector/Diffuser.
2	Maximum Ambient	50°C	

Ordering Information

Sr No	Model Number	Description	Case Lot
1	HRI210X210-15S8PL2835	LED PANEL 210X210mm	

Sr./Gat No.08,A/P .Sasewadi ,Tal.Bhor ,Dist Pune ,Near ZP School ,Sasewadi ,Pune 412205.Maharashtra (India)
Email ID :- marketing@hrindustry.net ,hrindustry12@outlook.com. Mobile :- 9049378851